



Technical rider (UK) for Fake Tan

DIs (Total 8)

1 x Stereo E Drums
1 x Stereo Guitars
1 x Mono Keytar 1
1 x Mono Keytar 2
2 x Mono Bass
1 x Mono Track
1 x Mono Click

Mics & Hardware

1 x Wireless SM58 or better
3 x Wired SM58 (Vocals)
1 x Straight mic stand
3 x Boom mic stands

Monitors

4 x Good Quality IEM systems (band will provide IEM headphones)
2 x onstage XLR monitor feeds for the drummers monitors & click track (he will provide own mixer)

Channel List

Channel	Instrument	
1	E Drums L	DI Box Required
2	E Drums R	DI Box Required
3	Bass DI	XLR from FX Pedal
4	Bass Amp Sim	XLR from FX Pedal
5	Keytar 1	DI Box Required
6	Keytar 2	DI Box Required
7	Track	DI Box Required
8	Click	DI Box Required
9	Lead Vocals	Wireless
10	Drum Vocals	Wired
11	Keys Vocals	Wired
12	Guitar Vocals	Wired
13	Guitar L	XLR from FX Pedal
14	Guitar R	XLR from FX Pedal

Front Of House

Suitable full range PA including subs (please contact us for full specs on a per case basis)
Desk with EQ, Compression & Reverb plus engineer.

The band will require 5 **independent** monitor mixes (4 for IEMs & 1 onstage XLR feed for the drummers mixer & Click)

Stage

Minimum stage size 7m wide x 5m deep, the stage should be level and sturdy as Fake Tan are a very energetic band.

For any queries please contact:

Dan: +44 797 965 1000

Duck: +44 778 638 6971

Email: faketanband@gmail.com

Stage Plan

