



Technical rider (UK) for Fake Tan

DIs (Total 8)

- 1 x Stereo E Drums
- 1 x Stereo Keytar
- 1 x Mono Guitars
- 1 x Mono Bass
- 1 x Mono Track
- 1 x Mono Click

Mics & Hardware

- 1 x Wireless SM58 or better
- 3 x Wired SM58 (Vocals)
- 1 x Straight mic stand
- 3 x Boom mic stands

Monitors

- 4 x Good Quality IEM systems (band will provide IEM headphones)
- 2 x onstage XLR monitor feeds for the drummers monitors & click track (he will provide own mixer)

Channel List

Channel	Instrument	
1	E Drums L	DI Box Required
2	E Drums R	DI Box Required
3	Bass	DI Box Required
4	Bass (sub)	
5	Guitar	DI Box Required
6	Guitar	
7	Keytar L	DI Box Required
8	Keytar R	DI Box Required
9	Track	DI Box Required
10	Click	DI Box Required
11	Lead Vocals	Wireless
12	Keys Vocals	Wired
13	Drum Vocals	Wired
14	Guitar Vocals	Wired

Front Of House

Suitable full range PA including subs (please contact us for full specs on a per case basis)

Desk with EQ, Compression & Reverb plus engineer.

The band will require 6 **independent** monitor mixes (4 for IEMs & 2 onstage XLR feeds for the drummer. One for the drummers mix and the other for the click)

Infill speaker to be placed near drummer

Stage

Minimum stage size 7m wide x 5m deep, the stage should be level and sturdy as Fake Tan are a very energetic band.

For any queries please contact:

Dan: +44 797 965 1000

Duck: +44 778 638 6971

Email: faketanband@gmail.com

Stage Plan

